

AVIMINO®

NUTRITIONAL SUPPLEMENT FOR POULTRY

COMPOSITION

Vitamins, iron sulphate, copper sulphate, manganese sulphate, zinc sulphate, cobalt sulphate, lysine HCL, DL-methionine, dextrose.

LEGAL GUARANTEE PER LITRE

Vitamins / Kg

Vitamin A	10 000 000 IU
Vitamin D3	3 000 000 IU
Vitamin E	5 000 mg
Vitamin C	15 000 mg
Vitamin B1	3 500 mg
Vitamin B5	7 500 mg
Vitamin B6	1 750 mg
Vitamin B12	5 mg
Folic acid	500 mg

Trace-elements / Kg

Iron (sulphate)	1 000 mg
Copper (sulphate)	1 000 mg
Manganese (sulphate)	1 000 mg
Zinc (sulphate)	1 000 mg
Cobalt (sulphate)	50 mg

Amino-acids / Kg

Lysine HCL	1 000 mg
DL methionine	1 000 mg

Others elements / Kg

Dextrose	QSP 1 Kg
----------	----------

TECHNICAL INTEREST

AVIMINO® brings vitamins, trace-elements and amino-acids to meet needs of poultry at any stage of their development, avoiding deficiencies that can impact severely the general growth and production performances of the poultry. **AVIMINO®** is highly soluble in water, through dextrose as carrier, for a good intake and a better availability of the nutrients inside the digestive tract.

AVIMINO® contains most vitamins from B group which play a key role in the stimulation of reproduction functions and on the quality of skin and feathers.

AVIMINO® improves immunity (vit E) and vaccination response (trace-elements).

DIRECTIONS FOR USE

Mix **AVIMINO®** in the water at the following concentration and dosage:

- Broilers : 1 g in 2 litre of water, 5 consecutive days from day 7th to day 12th, a 2nd application can be done from day 21st for 3 to 5 days.
- Layers : 1 g in 2 litre of water during the 1st week of laying during 3 to 5 days, renew the application during the week of the laying peak.
- After vaccination : 1 g in 2 litre of water during 3 days.

SHELF LIFE

24 months after the date of manufacturing.

OTHERS INDICATIONS

Storage in a dry place, away from humidity.

DEVELOPED BY :

AQUAVIAL SARL
48 rue du Docteur Rahuel
22000 Saint-Brieuc
FRANCE
α FR 22 278 453
Email : contact@aquavial.com

